




SKF BEAS 030062-2RS thrust ball bearings

Bearing No. BEAS 030062-2RS



BEAS 030062-2RS Bearing 2D drawings and 3D CAD models

Size	30x62x28 mm
Bore Diameter	30 mm
Outer Diameter	62 mm
Width	28 mm
d	30 mm
D	62 mm
H	28 mm
d <sub>1</sub>	45.5 mm
D <sub>1</sub>	54 mm
b	3.1 mm
K	3 mm
r <sub>1,2</sub> - min.	0.3 mm
r <sub>3,4</sub> - min.	0.6 mm
a	93 mm
d <sub>a</sub> - min.	40 mm
D <sub>a</sub> - max.	54 mm
r <sub>a</sub> - max.	0.3 mm
r <sub>b</sub> - max.	0.6 mm
Basic dynamic load rating - C	29 kN
Basic static load rating - C <sub>0</sub>	64 kN
Fatigue load limit - P <sub>u</sub>	2.4 kN
Limiting speed	3200 r/min
Preload	2170 N
Frictional moment	0.5 N · m
Static Axial rigidity	870 N/micron



## NSK bearing Trading Co., Ltd

Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	7316571986630
Product Group	B04270
Enclosure	2 Seals
Precision Class	ABEC 7   ISO P4
Material - Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	60 Degree
Raceway Style	Not Applicable
Cage Material	Polyamide
Rolling Element	Ball Bearing
Enclosure Type	Contact Seal
Flush Ground	No
Inch - Metric	Metric
Other Features	Double Row   Angular Contact Thrust Bearing   Double Direction
Long Description	30MM Bore; 62MM Outside Diameter; 28MM Width; 2 Seals Enclosure; ABEC 7   ISO P4 Precision; Steel Ball Material; 1 (Single) Bearing; 60 Degree Contact Angle; Polyamide Cage Material; Ball Bearing
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Ball Angular Contact
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>



## NSK bearing Trading Co., Ltd

Manufacturer Item Number	BEAS 030062-2RS
Weight / LBS	0.034
Bore	1.181 Inch   30 Millimeter
Outside Diameter	2.441 Inch   62 Millimeter
Width	1.102 Inch   28 Millimeter